TOSHIBA

E-STUDIO2323AM E-STUDIO2823AM

Product brochure

- > The e-STUDIO2323AM/2823AM cover the basic needs of modern businesses, offering a speed of up to 23/28 pages per minute.
- > Based on sophisticated technology, they easily integrate into networks and are intuitve to use.
- Designed to meet the highest environmental standards, both models help save valuable resources.





Key features

- Compact A3 systems with print, colour scan and copy function to cover the most relevant requirements.
- Excellent image quality for documents which impress.
- Energy save modes for optimised usage and intelligent resource management.

Efficient, productive and highly reliable top-performers.



Benefits

With an output speed of 23 and 28 pages per minute the e-STUDIO2323AM/2823AM can easily keep up with the needs of today's businesses. Their outstanding image quality will give your documents a professional look and leave a lasting impression with your business partners.

Uncompromised ease-of-use

For you to benefit from the sophisticated technology that the systems are based on, we have ensured that they are easy and intuitive to use.

- Intuitive use of all functions
 - Complex as the functionality is, it is nevertheless easy to use. No matter wether you want to print, scan or copy – via the user interface all features are just a click away.
- Mobile Print
 - Convenient print from mobile devices via USB cable.
 - Print from or scan to mobile devices with the e-BRIDGE Print & Capture Entry app.

Configuration



Specifications

General

Print & Copy Speed A4: 23/28 ppm

A3: 14/14 ppm

Warm-up Time ~ 15 seconds

 $\textbf{Paper Size \& Weight} \qquad \qquad \text{Cassette: A5R-A3, 64-80 g/m}^2$

Bypass: A5R-A3, 52-216 g/m²

Paper Capacity

Cassette: 1x 250 sheets
Bypass: 1x 100 sheets,

Max. 600 sheets

 $\begin{tabular}{ll} \textbf{Inner Output Tray} & 100-sheet capacity \\ \textbf{Automatic Duplex}^{1)} & A5R-A3, 64-80 \ g/m^2 \\ \end{tabular}$

Memory 512 MB RAM

Interface 10Base-T/100Base-TX (incl. IPv6),

High Speed USB 2.0

Dimensions & Weight 575 x 540 x 402 mm (W x D x H), ~ 27 kg

Initial Consumables Toner, Drum, Developer

Copy

Resolution Scan: 600 x 600 dpi

Print: 2,400 x 600 dpi with smoothing

First Copy Output Time ~ 6.4 seconds

Zoom Platen: 25-400%, RADF¹): 25-400%

Copy Modes
Text, Text/Photo, Photo, Background erase
Copy Functions
Copy templates, ID Card copy, Edge erase, 2-in-1 / 4-in-1 mode, Auto sort²⁾, Electronic sort²⁾

System & Security

Device Management TopAccess for remote administration and configuration

 System Features
 Internal toner recycling, Energy-saving modes

 Accounting & Security
 100 department codes, IP and MAC address filter

Print

Resolution Max. 2,400 x 600 dpi with smoothing

Page Description

Language

Graphic Device Interface

Supported Systems Windows 10/8.1/7/Server 2008 SP2 (32/64 bit),

Windows Server 2016/Sever 2012/Server 2008 R2 SP1 (64 bit)

Print Functions Print from USB, Multiple pages per sheet,

Toner save mode

Options

Automatic Duplex Unit³⁾

A5R-A3, 64-80 g/m²

RADF

50-sheet capacity.

50-sheet capacity, A5R-A3, 50-104 g/m²

Paper Feed Unit 1x 250-sheet capacity,

A5R-A3, 64-80 g/m^2

Desk

e-BRIDGE Print & Capture Entry App

Scan

Resolution Max. 600 x 600 dpi

Scan Speed Monochrome/Colour: 25/18 ipm (300 dpi)

Scan Modes Colour, Greyscale, Monochrome

File Formats JPEG, Multi/Single Page TIFF/PDF
(via e-STUDIO Scan Editor)

Scan Functions Scan templates, Scan to USB, TWAIN,

Scan to mobile

Windows Server 2016

Certified

1) Optional

2) Requires RADF

³⁾ This item is optional for e-STUDIO2323AM and

standard for e-STUDIO2823AM

About Toshiba Tec

To shiba Tec Germany Imaging Systems GmbH is part of the globally operating To shiba Tec Corporation, active in various high-tech industrial sectors.

To shiba Tec Corporation is a leading provider of information technology, operating across multiple industries - ranging from retail, education and business services to hospitality and manufacturing. With headquarters in Japan and over 80 subsidiaries worldwide, Toshiba Tec Corporation helps organisations transform the way they create, record, share, manage and display information.

For more information please contact us:

Toshiba Tec Germany Imaging Systems GmbH

Carl-Schurz-Str. 7 41460 Neuss Germany

Telephone

+49 2131-1245-0

Fax

+49 2131-1245-402

Website

www.toshibatec.eu

Together Information is Toshiba's vision	n for how people and organisations
create, record, share, manage and display ideas and data.	

It is based on our belief that the most successful organisations are those that communicate information in the most efficient way.

We make that possible through an integrated portfolio of industry-specific solutions, all of which reflect Toshiba's commitment to the future of the planet.

_

