

## Get fast printing speeds, high-volume scanning, and easy management tools with LaserJet Pro.

This printer is built for powerful productivity with fast speeds and reliable hardware, delivering effortless everyday use from wherever work happens so you can focus more on your business.





This printer uses dynamic security, which may be updated periodically by firmware updates. The printer is intended to be used solely with cartridges using an original HP chip. Cartridges using a non-HP chip may not function or may cease to function. More at: www.hp.com/learn/ds

## Highlights

- Instant Ink for Laser available
- Fast print speed (33 ppm A4)
- High monthly duty cycle (50,000 pages)
- · Automatic two-sided printing standard
- HP Smart app
- HP Wolf Pro security
- 250 sheet standard paper input cassette
- Dual-band WiFi®, Bluetooth® LE, WiFi® Direct













## Powerful productivity.1

- Support your small workteams with this smart printer, designed for up to 7 users.
- Print more efficiently. Save time, paper, and costs with fast printing, scanning and auto twosided printing.
- Do more in fewer steps. Simple shortcuts allow your employees to complete common tasks with just a touch.
- Get productivity in the palm of your hand. Print, scan, and save time with Shortcuts from HP Smart.<sup>2</sup>

## Seamless management.

- Centralise print management for your enterprise. HP Web Jetadmin makes it easy with its suite
  of features.<sup>3</sup>
- Set up your printer quickly wherever work happens. Cloud connectivity makes it easy for your IT team.
- Access your printers from a single dashboard. Smart Admin guides you through setup and gives IT visibility.
- Avoid interruptions with Wi-Fi® that intelligently looks for the best connection to stay on-line <sup>5</sup>

#### HP Wolf Pro Security.

- Get printer security out of the box. Preconfigured settings mean it's ready when you are.
- Set up and manage your printers from a single dashboard. Smart Admin makes the experience seamless.
- Centralise print management for your enterprise. HP Web Jetadmin makes it easy with its suite
  of features.<sup>3</sup>
- Set configuration policies and validate settings universally with HP JetAdvantage Security Manager.

## Hassle-free supplies management with Instant Ink.

- Enroll to save on Original HP Toner with Instant Ink. Get toner, delivery and recycling. 7,8,9
- Never run out of toner with Instant Ink for laser.<sup>10</sup>
- With Instant Ink, get toner automatically delivered to workers or offices all on one consolidated bill.<sup>9</sup>
- With Instant Ink, you get to select the right plans for each of your printers. Change or cancel at any time.<sup>11</sup>

## Product walkaround

## HP LaserJet Pro MFP 3102fdw Printer shown

- 1. Fast printing, up to 33 ppm, 250-sheet standard paper capacity
- 2. Built for the small workteams of up to 7 users
- 3. Pre-configured security settings
- 4. Automatic 2-sided printing
- 5. High-speed USB ports, built-in fast Ethernet
- 6. Cassette type input tray



# Accessories, Supplies and Support

Supplies	W1390A HP 139A Black Original LaserJet Toner Cartridge (Average cartridge yields 1,500 standard pages. Declared yield value in accordance with ISO/IEC 19752.)
	<b>W1390X</b> HP 139X High Yield Black Original LaserJet Toner Cartridge (Average cartridge yields 4,000 standard pages. Declared yield value in accordance with ISO/IEC 19752.)
Service and Support	UG207E 3 years Advanced Exchange (All EMEA countries Except Adriatic, Africa, CIS, EEM, Israel, Middle East, Russia, South Africa, Turkey) UG087E 3 years Next Business Day Exchange (available in Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Ireland, Italy, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Spain, Sweden, Switzerland, UK) UG290E 3 years Return to Depot (available in Adriatic, Africa, CIS, EEM, Israel, Middle East, Russia, South Africa, Turkey)

# **Technical specifications**

<del> </del>	
Model	HP LaserJet Pro MFP 3102fdw Printer
Productnumber	36630F
Functions	Print, copy, scan, fax
Control panel	2.7°CGD; Touch Screen; 3 LED buttons (Back, Home, Info)
Print	
Print technology  Print speed 1	Laser
	Black (A4, normal): Up to 33 ppm; Black (A4, duplex): Up to 20 ipm  Black (A4, ready): As fastas 7.0 sec; Black (A4, sleep): As fastas 8.7 sec
First page out <sup>2</sup> Print resolution	Dick.Kur4, Reduyi. As list is 7, 10 sec, 10 tac.Kur4, steep). As list is 6, 7, 5 ec.  Black (best): Up to 1200 x 1200 dpi; Technology, 600dpiwith Resolution Enhancement technology (REt); ProRes 1200
Monthly duty cycle	black west, up to 1200 x 1200 pt, returnously, soutpliving resortion marketing treatment of the state of the
Printer smart software features	Up to 50,000 pgs. A4; Recommended minoring pagevorume: 550 to 2500 pages Automatic duplex, Easy ODBE, Scan Destinations, Smart security, Print allways work, Print anywhere
	Automatic duping, Easy Outer, East Destinations, Straft Security, Print always work, Print anywhere PCLSc; PCL6; PS; PCLmS; PDF; URF; PWG; PCLm  PCLSc; PS; PCLmS; PDF; URF; PWG; PCLm
Standard print languages	
Fonts and typefaces	84 scalableTueTypefonts
Print area	PrintmarghsTop: 4.23 mm, Bottom: 4.23 mm, Right: 4.23 mm; Maximum printarea: 207 x 348 mm
Duplex printing Copy	Automatic (standard)
	District Advisor 22 mg
Copyspeed	Black (A4): Up to 33 cpm  Number of Copies; Lighter/Darker; Enhancements; Binding Margin; Paper; Multi-Page Copy; Collation; Quality; Maximum number of copies: Up to 999 copies; Reduce/Enlarge. 25 to 400%
Copier specifications	number or Lopies; Lighter/Darker; Ennancements; Binding Margin; Paper; Multi-Page Lopy; Collation; Quality; Maximum number or copies; Up to 999 copies; Reduce/Enlarge. 25 to 400%
Scan	News(MA) was a second of the s
S can speed 3	Normal (A4): Up to 19 ppm (b&w), up to 8 ppm (color)
Scan file format	JPG, TFF, XPS, PDF, PDF/A
Scannerspecifications	Scanner type ADF, flatbed; Scan technology: CIS; Scan input modes: HP Smart App; and user applications via Twain; Twain version: Version 2.1; Duplex ADF scanning: No; Scan size maximum (flatbed, ADF): 216 x 297 mm; Optical scan resolution: Up to 300 dpi(color and mono, ADF); Up to 1200 dpi(color and mono, flatbed)
Recommended monthly scan volume	150 to 1500
Scannablearea	Maximum mediasize (flatbed): 216 x 297 mm; Minimum mediasize (ADF): 148 x 210 mm Maximum mediasize (ADF): 216 x 356 mm
Bit depth/Grey scale levels	24-bit/256
Fax	
Fax <sup>4</sup>	Yes
Fax specifications	Faxmemory: Up to 500 pages; Faxresolution: Standard: 203 x98 dpt; Fine: Up to 203 x196 dpt; Superfine: Up to 300 x300 dpt; Quick dialing: Up to 200 numbers
Processor speed	800 MHz
Connectivity	
Standard	Hi-Speed USB device (compatible with USB 2.0 specifications); 10/100Mbps Ethernet; Wireless 802.11b/g/n, Dual band 2.4GHz/5GHz; BLE.
Mobile printing capability	HP Smart App; Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing; HP ROAM For Business; Optional ROAM Queue Printing
Supported network protocols	TCP/IP: IPv4; IPv6; IP Direct Mode; LPD; SLP; Bonjour; WS-Discovery; BOOTP/DHCP/AutoIP; WINS; SNMPv1/2/3; and HTTP/HTTPS
Network cap abilities	10/100Mbps Ethernet; Wireless 802.11b/g/n, Dual band 2.4GHz/5GHz.
Hard disk	no hard disk
Memory	Standard: 512 MB; Maximum: 512 MB
Memory Media handling	Standard: 512 MB; Maximum: 512 MB
	Standard: 512 MB; Maximum: 512 MB  Standard: 1; Maximum: 1 Main Tray
Media handling	
Mediahandling Number of paper trays Media types	Standard: 1; Maximum: 1 Main Tray Paper (Cut sheets, plain, glossy film, labels), envelopes, card stock, postcards Custom (metric): Width 76 to 216 mm; Length 127 to 356mm Supported (metric): A4, A5, A5-R, A6, B5(JS); B6(JS); 0ficio (216x340); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); L9x13
Mediahandling Number of paper trays Media types Media size	Standard: 1; Maximum: 1 Main Tray Paper (Cut Sheets, Plain, glossy film, labels), envelopes, card stock, postcards Custom (knet/b): Width 76 to 216 mm; Length 127 to 356mm Supported (met/c): A4, A5, A5-R, A6, B5(JS); B6(JS); Oficio (216x340); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); L9x13 cm; 10x10m; 10x
Mediahandling Number of paper trays Media types Media size Media handling	Standard: 1; Maximum: 1 Main Tray Paper (Cut Sheets, plain, glossy film, labels), envelopes, card stock, postcards  Custom (metric): Width 76 to 216 mm; Length 127 to 356mm Supported (metric): A4, A5, A5-R, A6, B5(JIS); B6(JIS); Officio (216x340); 16K (195 x 270 mm); 16K (197 x 273 mm); 16X (197 x 273 mm); L9x13 cm; 10x15cm; Japanese Postcard; Double Japan Postcard Rotated; Japanese Envelope Chou #3; Japanese Envelope Chou #4; Envelope B5; Envelope C5; Envelope C6; Envelope DLADF: A4; IJR; LGL  Standard Input: 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output tray ADF: Standard, 50 sheets
Mediahandling Number of paper trays Media types Media size Media handling Media weight	Standard: 1; Maximum: 1 Main Tray  Paper (Cut sheets, plain, glossy film, labels), envelopes, card stock, postcards  Custom (metric): 44, A5, A5-R, A6, B5(JS); B6(JS); Oficio (216x340); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); L9x13 cm; 10x15cm; Japanese Postcard; Double Japan Postcard Rotated; Japanese Envelope (Chou #3; Japanese Envelope (Chou #4; Envelope B5; Envelope C5; Envelope C6; Envelope DL ADF: A4; LTR; LGL  Standard input: 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output tray ADF: Standard, 50 sheets  60 to 163 g/m²
Mediahandling Number of paper trays Media types Media size Media handling Media weight Input capacity	Standard: 1; Maximum: 1 Main Tray Paper (Cut sheets, plain, glossyfilm, labels), envelopes, card stock, postcards  Custom (metric): Width 76 to 216 mm; Length 127 to 356mm Supported (metric): A4, A5, A5-R, A6, B5(JS); B6(JS); Officio (216x340); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); L9x13 cm; 10x15cm; Japanese Postcard; Double Japan Postcard Rotated; Japanese Envelope (hou #3; Japanese Envelope (hou #4; Envelope B5; Envelope C5; Envelope C6; Envelope DL ADF: A4; IJTR; LGL  Standard Input: In main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output tray ADF: Standard, 50 sheets  Tray 1: Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADF: Standard, 50 sheets
Mediahandling Number of paper trays Media types Media size Media handling Media weight	Standard: 1; Maximum: 1 Main Tray Paper (Cut sheets, plain, glossy film, labels), envelopes, card stock, postcards Custom (metric): Width 76 to 216 mm; Length 127 to 356mm Supported (metric): A4, A5, A5-R, A6, B5(JS): B6(JS): Oficio (216x340): 16K (195 x 270 mm): 16K (195 x 270 mm): 16K (197 x 273 mm): L9x13 cm; 10x15cm; Japanesse Postcard; Double Japan Postcard Rotated; Japanese Envelope Chou #4; Envelope B5; Envelope C5; Envelope C6; Envelope DL ADF: A4; LTR; LGL  Standard input: 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output tray ADF: Standard, 50 sheets 60 to 163 g/m² Tray 1: Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADF: Standard, 50 sheets  Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 150 sheets
Mediahandling Number of paper trays Media types Media size Media size Media handling Media weight Input capacity Output capacity Compatible operating systems	Standard: 1; Maximum: 1 Main Tray Paper (Cut sheets, plain, glossyfilm, labels), envelopes, card stock, postcards  Custom (metric): Width 76 to 216 mm; Length 127 to 356 mm Supported (metric): A4, A5, A5-R, A6, B5(JS); B6(JS); Officio (216x340); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); L9x13 cm; 10x15 cm; Japanese Postcard; Double Japan Postcard Rotated; Japanese Envelope Chou #3; Japanese Envelope Chou #4; Envelope B5; Envelope C5; Envelope C6; Envelope DL ADF: A4; JTR; LGL  Standard Input 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output tray ADF: Standard, 50 sheets  60 to 163 g/m²  Tray 1: Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADF: Standard, 50 sheets  Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 150 sheets  Microsoft® Windows® 11, 10, 7 SP1: 32-bit of 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Apple® mac0S v10.15 Catalina, mac0S v11 Big Sur, mac0S v12 Montreey; 2 GB HD; Internet required; Linux For more information, seehttps://dievelopers.hp.com/hp-linux-imaging-and-printing)
Mediahandling Number of paper trays Media types Media types Media size Media handling Media weight Input capacity Output capacity	Standard: 1; Maximum: 1 Main Tray Paper (Cut sheets, plain, glossyfilm, labels), envelopes, card stock, postcards  Custom (metric): Width 76 to 216 mm; Length 127 to 356 mm Supported (metric): A4, A5, A5-R, A6, B5(J5); B6(J5); Officio (216x340); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); L9x13 cm; 10x15cm; Japanese Postcard; Double Japan Postcard Rotated; Japanese Envelope (Chou #4; Envelope B5; Envelope C5; Envelope C6; Envelope C6; Envelope C6; Envelope C6; Envelope C6; Envelope C6; Envelope C7; Envelope C7; Envelope C7; Envelope C8; Envel
Media handling Number of paper trays Media types Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating	Standard: 1; Maximum: 1 Main Tray  Paper (Cut sheets, plain, glossy film, labels), envelopes, card stock, postcards  Custom (fixed): Which 76 to 216 mm; Length 127 to 356 mm Supported (metric): A4, A5, A5-R, A6, B5(JS); B6(JS); B6
Mediahandling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatble operating systems Compatble network operating systems	Standard: 1; Maximum: 1 Main Tray Paper (Cut sheets, plain, glossyfilm, labels), envelopes, card stock, postcards  Custom (metric): Width 76 to 216 mm; Length 127 to 356 mm Supported (metric): A4, A5, A5-R, A6, B5(JS); B6(JS); Oficio (216x340); 16K (195 x 270 mm); 16K (197 x 273 mm); 16X (197 x 273 mm); L9x13 cm; 10x15 cm; Japanese Postcard; Double Japan Postcard Rotated; Japanese Envelope Chou #3; Japanese Envelope Chou #4; Envelope B5; Envelope C5; Envelope C6; Envelope DL ADF: A4; UTR; LGL  Standard Input: 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output tray ADF: Standard, 50 sheets  60 to 163 g/m²  Tray 1: Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADF: Standard, 50 sheets  Standard: Up to 150 sheet Envelopes: Up to 10 Maximum: Up to 150 sheets  Standard: Up to 150 sheet Envelopes: Up to 10 Maximum: Up to 150 sheets  Microsoft® Windows Sever 2008 R2 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Windows Sever 2008 R2 64-bit, Linux-Formore information see http://developers.hp.com/hp-linux-imaging-and-printing.
Mediahandling Number of paper trays Media types Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements	Standard: 1; Maximum: 1 Main Tray Paper (Cut sheets, plain, glossyfilm, labels), envelopes, card stock, postcards Custom (mettic): Width 7 & to 2.16 mm; Length 127 to 356mm Supported (mettic): A4, A5, A5-R, A6, B5(JS): B6(JS): Dficio (216x340); 16K (195 x 270 mm); 16K (197 x 273 mm); 19x13 cm; 10x15cm; Japanese Postcard; Double Japan Postcard Rotated; Japanese Envelope Chou #4; Envelope B5; Envelope C5; Envelope C6; Envelope DL ADF: A4; IJR; LGL Standard input: 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output tray ADF: Standard, 50 sheets 60 to 163 g/m² Tray 1: Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADF: Standard, 50 sheets  Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 150 sheets  Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 150 sheets  Microsoft® Windows Selection (Sheet): Up to 150 sheets (Sheet): Up to
Mediahandling Number of paper trays Media types Media size Media hadling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included	Standard: 1; Maximum: 1 Main Tray Paper (Cut sheets, plain, glossy film, labels), envelopes, card stock, postcards  Custom (metric): Width 76 to 216 mm; Length 127 to 356 mm Supported (metric): A4, A5, A5-R, A6, B5(JS); B6(JS); B6(JS); Officio (216x340); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); L9x13 cm; 10x15cm; Japanesse Postcard; Double Japan Postcard Rotated; Japanesse Envelope (Chou #4; Envelope B5; Envelope C5; Envelope C6; Envelope C6; Envelope C6; Envelope C6; Envelope C7; Envelope C6; Envelope C7; Envelope C7; Envelope C7; Envelope C8; Envelop
Mediahandling Number of paper trays Media types Media types Media size Media handling Media weight Input capacity Output capacity Compatble operating systems Compatble network operating systems Minimum system requirements Software included Security management	Standard: 1; Maximum: 1 Main Tray Paper (Cut sheets, plain, glossyfilm, labels), envelopes, card stock, postcards  Custom (metric): Width 76 to 216 mm; Length 127 to 356mm Supported (metric): A4, A5, A5-R, A6, B5(JS); B6(JS); Officio (216x340); 16K (195 x 270 mm); 16K (197 x 273 mm); 19x13 cm; 10x15cm; Japanesse Postcard; Double Japan Postcard Rotated; Japanesse Envelope (Lnou #3; Japanesse Envelope (B5; Envelope C5; Envelope C6; Envelope C6; Envelope DL ADF: A4; JTR; LGL  Standard input 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output tray ADF: Standard, 50 sheets  60 to 163 g/m²  Tray 1: Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADF: Standard, 50 sheets  Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 150 sheets  Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 150 sheets  Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet required; Linux For more information, see https://developers.hp.com/hp-linux-imagingandprinting)  Windows Server 2008 R2 64-bit, Unix For more information see https://developers.hp.com/hp-linux-imagingandprinting.  Windows Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge.  Mac Op in box, Down Indadable Software Power, enable disable Network ports; SNMPV1 community password change  Password-protected network embedded Web server; enable disable Network ports; SNMPV1 community password change
Mediahandling Number of paper trays Media types Media types Media size Mediahandling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management	Standard: 1; Maximum: 1 Main Tray Paper (Cut sheets, plain, glossyfilm, labels), envelopes, card stock, postcards  Custom (metric): Width 76 to 216 mm; Length 127 to 356mm Supported (metric): A4, A5, A5-R, A6, B5(JS); B6(JS); Officio (216x340); 16K (195x270 mm); 16K (195x270 mm); 16K (197x273 mm); L9x13 cm; 10x15cm; Japanesse Postcard; Double Japan Postcard Rotated; Japanesse Envelope Chou #3; Japanesse Envelope Chou #4; Envelope B5; Envelope C5; Envelope C6; Envelope C6; Envelope CAPF. A4; LTR; LGL  Standard input 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output tray ADP: Standard, 50 sheets 60 to 163 g/m²  Tray 1: Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADP: Standard; 50 sheets  Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 150 sheets  Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet required; Linux (For more information, seehtips://dievelopess.hp.com/hp-linux-imagingandprinting)  Windows Server 2008 R2 64-bit, Unix (For more information seehtips://dievelopers.hp.com/hp-linux-imagingandprinting)  Windows Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge.  Mac Op in box, Down Indoaddales Software from thtp://www.hpsmart.com/setup.in-OS app stores.  Password-protected network embedded Web server; enable disable Network ports; SNMPV1 community password change
Mediahandling Number of paper trays Media types Media types Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management Dimensions and weight	Standard: 1; Maximum: 1 Main Tray Paper (Cut sheets, plain, glossy film, labels), envelopes, card stock, postcards  Custom (metric): Width 76 to 216 mm; Length 127 to 356 mm Supported (metric): A4, A5, A5-R, A6, B5(J5); B6(J5); Officio (216x340); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); L9x13 cm; 10x15 cm; Japanesse Postcard; Double Japan Postcard Rotated; Japanesse Envelope (Chou #3; Japanesse Envelope (B5; Envelope (B5; Envelope (B5; Envelope (B7; Envel
Mediahandling Number of paper trays Media types Media types Media size Media handling Media weight Input capacity Output capacity Compatble operating systems Compatble network operating systems Minimum system requirements Software included Security management Printer management Drinter of mensions (W x D x H)	Standard: 1; Maximum: 1 Main Tray Paper (Cut sheets, plain, glossy film, labels), envelopes, card stock, postcards  Custom (metric): Width 76 to 216 mm; Length 127 to 356 mm Supported (metric): A4, A5, A5-R, A6, B5(JS); B6(JS); B6
Mediahandling Number of paper trays Media types Media types Media handling Media weight Input capacity Output capacity Compatble operating systems Compatble network operating systems Minimum system requirements Software included Security management Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight	Standard: 1; Maximum: 1 Main Tray Paper (Cut sheets, plain, glossy film, labels), envelopes, card stock, postcards  Custom (metric): Width 76 to 216 mm; Length 127 to 356mm Supported (metric): A4, A5, A5-R, A6, B5(JS); B6(JS); Officio (216x340); 16K (195 x 270 mm); 16K (197 x 273 mm); 19x13 cm; 10x15cm; Japanesse Postcard; Double Japan Postcard Rotated; Japanesse Envelope (Lnou #3; Japanesse Envelope (B5; Envelope C5; Envelope C6; Envelope C6; Envelope DL ADF: A4; JTR; LGL  Standard input 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output tray ADF: Standard, 50 sheets  60 to 163 g/m²  Tray 1: Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADF: Standard, 50 sheets  Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 150 sheets  Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available hard disk space, Internet councition, Microsoft® Internet required; Linux For more information, see https://developers.hp.com/hp-linux-imagingandprinting)  Windows Server 2008 R2 64-bit, Unix For more information see https://developers.hp.com/hp-linux-imagingandprinting.  Windows: Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge.  Mac Ozi hox: Down loadafds of Maximum: 426.8 x 758.8 x 475.5 mm  Minimum 418.0 x 398.2 x 313.2 mm; Maximum: 426.8 x 758.8 x 475.5 mm  Minimum 418.0 x 398.2 x 313.2 mm; Maximum: 426.8 x 758.8 x 475.5 mm  10.5kg
Mediahandling Number of paper trays Media types Media types Media size Media haddling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment	Standard: 1; Maximum: 1 Main Tray Paper (Cut sheets, plain, jobssyfilm, labels), envelopes, card stock, postcards  Custom (metric): Width 76 to 216 mm; Length 127 to 356 mm Supported (metric): A4, A5, A5-R, A6, B5(JS); B6(JS); B6(JS); Dficio (216x340); 16K (195 x 270 mm); 16K (197 x 273 mm); L9x13 cm; 10x15 cm; 10x
Mediahandling Number of paper trays Media types Media size Mediahandling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management Dimensions and weight Printer weight Operating environment Storage conditions	Standard: 1; Maximum: 1 Main Tray Paper (Custom (metric): Width 76 to 216 mm; Length 127 to 356 mm Supported (metric): A4, A5, A5-R, A6, B5(J5); B6(J5); Oficio (216x340); 16K (195 x270 mm); 16K (195 x270 mm); 16K (197 x273 mm); L9x13 cm; 10x15 cm; Japanese Postcard; Obuble Japan Postcard Rotated; Japanese Envelope Chou #3; Japanese Envelope Chou #4; Envelope B5; Envelope C6; Envelope C6; Envelope C6; Envelope C6; Envelope C6; Envelope C7, Enve
Mediahandling Number of paper trays Media types Media types Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management Dimensions and weight Printer weight Operating environment Storage conditions Acoustics	Standard: 1; Maximum: 1 Main Tray  Paper (Cutsheets, plain, glossy film, labels), envelopes, card stock, postcards  Cutsom (metric): Width 76 to 216 mm; Length 127 to 356 mm Supported (metric): A4, A5, A5-R, A6, B5U5); B6UIS); Ofticio (216 x340); 16K (195 x270 mm); 16K (195 x270 mm); 16K (197 x273 mm); L9X13 cm; 10X15 x2 panese Postard Chouble Japanese Postard Rotalici, Japanese Envelope (hou #4; Envelope B5; Envelope C5; Envelope C6; Envelope C6; Envelope C6; Envelope C6; Envelope C7; Envelope
Mediahandling Number of paper trays Media types Media kize Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Storage conditions Acoustics Power	Standard: 1; Maximum: 1 Main Tray Paper (Cutsheets, plan, glossy tim, labels), envelopes, card stock, postcards Custom (metric), Width 7-6 to 216 mm; Length 127 to 356mm Supported (metric): A4, A5, A5-R, A6, B5(IS); B6(IS); B6(IS)
Mediahandling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible operating systems Software included Security management Printer management Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics Power  Certifications	Standard: 1; Maximum: 1 Main Tray  Paper (Cut sheets, plan, glossyffim, labels), envelopes, card stock, postcards  Custom (metrix): Width 76 to 216 mm; Length 127 to 356 mm Supported metrix): A4, A5, A5-R, A6, B5(JS); B6(JS); Oficio (216x340); 16K (195 x270 mm); 16K (197 x273 mm); 19X 137 mm; 10x15 mm; 10
Mediahandling Number of paper trays Media types Media types Media size Media hadding Media weight Input capacity Output capacity Compatble operating systems Compatble network operating systems Minimum system requirements Software included Security management Printer management Dimensions and weight Printer dimensions (W XDXH) Printer weight Operating environment Storage conditions Acoustics Power	Standard: 1; Maximum: 1 Man Tray Paper (Custinetes, plan, glossy film, labels), envelopes, card stock, postcards Custom (metric): Width 7 fot 216 mm; Length 127 to 356 mm Supported directiv: A4, A5, A5-R, A6, B5US); B6US); Oftico (216x340); 16K (195 x270 mm); 16K (197 x273 mm);
Mediahandling Number of paper trays Media types Media types Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics Power  Certifications Sustainable impact specifications Country of origin	Standard: 1: Maximum: 1 Main Tray  Paper (Curshees, plan, glossyrilm, labels), envelopes, card stock, postcards  Custom (merich Width 7 fot p216 mm; tengh 127 to 356mm Supported (merich) A4, A5, A5-R, A6, BSU(S); B6U(S); Okico (216x340); 16K (195x270 mm); 16K (195x270 mm); 16K (197x273 mm); L9x13 mm; 10x15 mm; paper (both 200 bile Japan Febrated Notated). JapaneseProted Developer (hou #3; JapaneseProted Developer (both #34; Enveloper (5; Envelope

#### Footnotes

- <sup>1</sup> Measured using ISO/IEC 24734 and excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity
- Requires the HP Smart app download. For details on local printing requirements see www.hp.com/go/mobileprinting. Certain features/software are available in English language only, and differ between desktop and mobile applications. Subscription may be required; subscription may not be available in all countries. See details at www.hpsmart.com. Internet access required and must be purchased separately. HP account required for full functionality. List of supported operating systems available in app stores. Fax capabilities are for sending a fax only. For more information, see www.hpsmart.com
- <sup>3</sup> HP Web Jetadmin is available for download at no additional charge at hp.com/go/webjetadmin.
- <sup>4</sup> Easy set up and manage Requires use of Smart Admin Dashboard for printer setup and onboarding of users
- 5 Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations only. Learn more at hp.com/go/mobileprinting. Wi-Fi is a registered trademark of Wi-Fi Alliance®. Supports both 5.0 GHz and 2.4 GHz using up to 12 non-overlapping channels vs only 3 non-overlapping channels for 2.4 GHz only. Supports 5.0 GHz band (up to 150 mbps) vs 2.4 GHz band (up to 72.2 mbps). Internet access required and must be purchased
- <sup>6</sup> HP JetAdvantage Security Manager must be purchased separately. To learn more, please visit hp.com/go/securitymanager
- <sup>7</sup> Program availability varies. For details, see www.hp.com/recycle
- <sup>8</sup> Automatic delivery and consolidated bill: Printers require direct connection to the Internet for program participation. Internet access sold separately.
- 9 Recycling: Program availability varies. Original HP cartridge return and recycling is currently available in more than 60 countries, territories and regions in Asia, Africa, Europe, and North and South America through the HP Planet Partners program. For details, see hp.com/recycle.
- 10 Never run out: Based on plan usage, Internet connection to eligible HP printer, valid credit/debit card, email address, and delivery service in your geographic area
- 11 Change or cancel: Change or cancel your plan at any time online. If you decide to cancel your HP Instant Ink you can go back to using HP original Standard or XL cartridges. Plan upgrades are effective immediately and the charges will be applied retrospectively or in the next billing cycle, depending on user choice. Plan downgrades and cancellations are effective after the last day of the current billing period. For full details go to hpinstantink.com/terms

#### Technical specifications disclaimers

- 1 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software
- application, driver, and document complexity.

  Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- 3 Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- <sup>4</sup> Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.
  <sup>5</sup> For yield information on the cartridge included with your printer, see http://www.hp.com/go/toneryield. Yield values measured in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors.















