

# TOSHIBA

## Bundle versions

**e-STUDIO2528A**

**e-STUDIO3028A**

**e-STUDIO3528A**

**e-STUDIO4528A**

**e-STUDIO5528A**

**e-STUDIO6528A**

## Monochrome Multifunctional Printers

- Monochrome A3 print, scan, copy and fax systems with a speed of up to 65 pages per minute for today's business needs
- Advanced technology combined with ease-of-use for more efficiency in medium- to large-sized workgroups requiring reliable document output and excellent image quality
- A large range of options for flexible customisation and easy adaptation to your company's needs



**TOGETHER  
INFORMATION**

## Cloud-ready and Secure

Today's new hybrid work environment has permanently changed demands on access to information: it must be available anywhere and anytime. Only then can organisations maintain maximum efficiency and productivity. Yet information also needs to be secure.

Toshiba's cloud-ready products and our team of experts provide the solutions you need to improve workflow and print with functionalities that are smarter and more convenient than ever before. We have implemented new features to increase productivity with the vision of Together Information – helping people and organisations share information more effectively through better products and solutions. In line with the needs of “new normal” workplaces, the series is equipped with functionalities that enable non-contact, non-face-to-face and remote work.



Based on the latest technological advances and security standards, we deliver end-to-end tailored solutions to help you seamlessly and securely navigate today's digital workplace. In addition, our multifunctional print (MFP) systems meet the highest environmental requirements. From consulting, cloud migration and fleet management to implementation and technical support, Toshiba is at your side.

Each of the models in the Toshiba e-STUDIO6528A series delivers high-quality monochrome documents precisely in line with the needs of medium- to large-sized workgroups. All six multifunctional systems are equipped with state-of-the-art security features you can rely on and performance that will enhance productivity.

- Advanced Toshiba e-BRIDGE Next controller technology ensures smooth integration and operation without compromising on document quality
- With a print speed of up to 65 pages per minute, exceptionally fast first-copy output and a paper capacity of up to 5,200 sheets, the e-STUDIO6528A series delivers reliable document output.
- Designed to support and enhance modern document workflows and simplify complex multi-step processes

## Smart and Smooth

An intuitive 26 cm (10.1”) tablet-style touch screen with an embedded web browser is easy to use and fully customisable. You can conveniently tailor settings and automate workflows – including integration of third-party solutions. The user interface, which reflects the bold new look of the new e-STUDIO series, enables simple operation and improved efficiency.



# An All-Rounder for High Demands

Success in today's business world demands seamless access to data and information at all times, regardless of whether staff members are working remotely or on the go. The e-STUDIO6528A series easily integrates into cloud and mobile workflows. Thanks to the advanced e-BRIDGE Next controller technology, you can even seamlessly utilise third-party solutions.

The array of embedded apps is designed to address the individual requirements of each business, and gives you the flexibility to connect to the cloud-based application of your choice.

To ensure a perfect fit, contact our team of software developers for support in creating customised apps for you.

## Cloud solution apps

- e-BRIDGE Plus for Box
- e-BRIDGE Plus for Dropbox™
- e-BRIDGE Plus for Google Drive™
- e-Bridge Plus for Google Workspace™ Google Drive™
- e-Bridge Plus for Gmail™
- e-BRIDGE Plus for OneDrive®
- e-BRIDGE Plus for OneDrive® for Business
- e-BRIDGE Plus for SharePoint® Online
- e-BRIDGE Plus for Exchange Online
- e-BRIDGE Plus for Universal Print

## Workflow solution apps

- e-BRIDGE Plus for Barcode Scan
- e-BRIDGE Plus for USB Storage
- e-BRIDGE Plus for Green Information
- e-BRIDGE Plus for Zone OCR
- e-BRDIGE Plus for ID Card
- e-BRDIGE Plus for Voice Guidance

## Your partner in sustainability

Toshiba is committed to people and the future of our planet. With the aim of building a sustainable society, we make every effort to minimise the impact of our business on the environment. Conservation and protection of the world's natural resources are top priorities in every business process and product. A key aspect of our approach is to provide solutions that make our customers' operations more sustainable. Accordingly, the e-STUDIO6528A series has also been equipped with various environmentally friendly features:

- Low-power, super sleep mode to save money and reduce energy consumption
- Compliance with the latest, most stringent environmental requirements
- The e-BRIDGE Plus for Green Information app, which displays environmental achievements directly on the MFP to encourage use of eco-friendly settings

## Security meets convenience

As a leading provider of information technology, Toshiba has always placed top priority on protecting data. The e-STUDIO6528A series comes with state-of-the-art security features, such as anti-malware function, secure Solid State Drive (SSD) and Trusted Platform Module (TPM) with encryption function. Optionally you can choose the FIPS HDD\* with data overwrite function and HCD-PP\*\* certification. Deploy all the security technologies offered to ensure your data are protected when using the MFP.

\* Federal Information Processing Standards Hard Disc Drive

\*\* Hard Copy Device – Protection Profile certification





# Big Performance in a Compact Format

Toshiba's e-STUDIOI06528A series offers a wide spectrum of functionalities in a surprisingly compact format. The multifunctional systems enable you to integrate and simplify your workflows while improving efficiency.

**Mobile printing** gives you full flexibility and lets you easily connect to mobile devices via AirPrint on iOS/macOS® or the Mopria Print Service.

**Wi-Fi Direct** offers the option of on-demand connection. Coupled with the Toshiba e-BRIDGE Print & Capture app, the feature not only lets you print from but also scan to your mobile device.

**Remote assistance and diagnostics** fit seamlessly into today's workstyles and help keep your business running when technical difficulties or uncertainties occur.

**Embedded optical character recognition (OCR)** simplifies the creation of searchable PDFs and editable document formats such as Microsoft Word.

**Scan to USB** is great for working with documents on the go. You can even create PDF/A-2 files suitable for long-term archiving.

**Scan and fax preview** allows you to review, rotate and modify your scanned documents or incoming faxes before saving or printing them.


**Barcode printing** lets you send print data from your ERP system directly to the MFP. The barcode sequence is automatically processed and printed with no need for additional middleware.

**Customisable user interface (UI)** for your ideal user experience. A fully customisable, tiltable 26 cm (10.1") colour panel works like a tablet or smartphone interface, so you can find whatever you need with a swipe of your finger.

**Auto skew correction** for non-standard paper sizes ensures your scanned documents are created accurately – every time.



# Configurations



\* For e-STUDIO2528A/3028A/3528A/4528A  
 \*\* Not in combination with External LCF

# Highlights

## Embedded apps

Each company has its own needs and preferences for storing and sharing data. To make sure you can use the e-STUDIO6528A series MFPs as you wish, we have made an array of apps available to let you adapt them and enhance your efficiency. By using your choice of embedded and optional apps, you can create the workflow you need and the user experience you wish. Whether connecting to cloud services or local applications, we have the solution.

## Multi-station print solution

Toshiba's proprietary Multi Station Print Solution allows users to send print jobs from their desktops and retrieve them at up to 50 different MFPs within the network by authenticating at their device, e. g. by simply swiping a badge.

## Dual Scan Document Feeder (DSDF) and Double Feed Detection

The DSDF option can hold up to 300 originals and processes 240 images per minute (ipm) by scanning both sides of the page in a single pass. With the addition of Double Feed Detection, you can ensure that no pages are missing after scanning.

# Specifications

## General

<b>Print &amp; Copy Speed</b>	A4: 25/30/35/45/55/65 ppm A3: 16/16/25/25/27/30 ppm
<b>Warm-up Time</b>	~ 14/14/16/16/20/20 seconds from low power mode
<b>Paper Size &amp; Weight</b>	Cassettes <sup>1</sup> : A5R-A3, 60-256 g/m <sup>2</sup> ; Cassettes <sup>2</sup> : A5R-A3 / A5R-320 x 460 mm, 60-300 g/m <sup>2</sup> Bypass <sup>1</sup> : Single Feed: 100x148 mm-A3, 52-256g/m <sup>2</sup> Multi-Feed: 100x148 mm-A3, 60-256g/m <sup>2</sup> Bypass <sup>2</sup> : 100x148 mm-320 x 460 mm, 52-300g/m <sup>2</sup> , banner paper (up to 305 x 1,200 mm, 90-163 g/m <sup>2</sup> )
<b>Paper Capacity</b>	Cassettes: 2x 550 sheets Bypass: 1x 100 sheets Max. 5,200 sheets
<b>Inner Output Tray</b>	550-sheet capacity <sup>(1)</sup> 400-sheet capacity <sup>(2)</sup>
<b>Automatic Duplex</b>	A5R-A3, 60-256 g/m <sup>2</sup>
<b>Controller Type</b>	Toshiba e-BRIDGE Next
<b>Control Panel</b>	26 cm (10.1") Multi-Touch Colour Panel
<b>Memory</b>	Security SSD 128 GB <sup>(1),(3)</sup> ; 4 GB RAM Security SSD 128 GB <sup>(2),(3)</sup> ; 6 GB RAM
<b>Interface</b>	10Base-T/100Base-TX/1000Base-T, High Speed USB 2.0, WLAN* (IEEE802.11b/g/n), Bluetooth*, Wi-Fi Direct*
<b>Dimension &amp; Weight</b>	For e-STUDIO2528A/3028A: 585 x 586 x 787mm (W x D x H), ~55kg For e-STUDIO3528A/4528A: 585 x 586 x 787mm (W x D x H), ~57kg For e-STUDIO5528A/6528A: 585 x 641 x 787mm (W x D x H), ~72 kg
<b>Initial Consumables</b>	Toner Drum Developer Waste Toner Box <sup>(2)</sup>

## Print

<b>Resolution</b>	600 x 600 dpi, 1 bit, equiv. 2,400 x 600 dpi (with smoothing) <sup>(1)</sup>  1200 dpi x 1200 dpi, 2 bit equiv. 3,600 x 1,200 dpi (with PostScript Driver) <sup>(2)</sup>
<b>Page Description Language</b>	PCL5e, PCL5c, PCL6 (PCL XL), XPS, PDF, PS3 and JPEG
<b>Supported Systems</b>	Windows 11/10/8.1, Windows Server 2022/2019/2016/2012 R2/2012 (64bit), Mac OS 10.12-12, Linux/Unix, Citrix, SAP, AS/400
<b>Network Protocols</b>	TCP/IP (IPv4/IPv6), NetBios over TCP/IP
<b>Mobile Printing</b>	e-BRIDGE Print & Capture, Mopria® Print Service, AirPrint on iOS or macOS®
<b>Print Functions</b>	Universal Printer Driver, Driver Templates, Driver plug-ins*, Print from USB, Hold Print, Tandem Printing, E-Mail direct printing

## Scan

<b>Resolution</b>	Max. 600 x 600 dpi
<b>Scan Speed</b>	Reversing Automatic Document Feeder*: up to 73 ppm (300 dpi) in colour and monochrome Dual Scan Document Feeder*: up to 240ppm (300dpi) in colour and monochrome
<b>Scan Modes</b>	Auto-Colour (ACS), Colour, Greyscale, Monochrome
<b>File Formats</b>	JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim PDF, PDF/A, PDF/A-2, Searchable PDF* (and other formats like DOCX, XLSX)*
<b>Scan Functions</b>	WS Scan, Scan to USB, Scan to E-Mail, Scan to File (SMB, FTP, FTPS, Local), Meta Scan*, OCR scan, Scan to Box (e-Filing), WIA, TWAIN

## Copy

<b>Resolution</b>	Scan: 600 x 600 dpi Print: 600 x 600 dpi, 1 bit <sup>(1)</sup> / 600 x 600 dpi, 5 bit <sup>(2)</sup> equiv. 2,400 x 600 dpi (with smoothing)
<b>First Copy Output Time</b>	~ 4.3/4.3/3.6/3.6/4.3/4.3 seconds
<b>Zoom</b>	Platen*: 25-400%, RADF*/DSDF*: 25-200 %
<b>Copy Modes</b>	Text/Photo, Text, Photo, Custom
<b>Copy Functions</b>	Electronic Sort, Rotate Sort, ID Card Copy, Edge Erase, 2-in-1 / 4-in-1 mode

## Fax\*

<b>Communication</b>	Super G3, G3 - (opt. 2 <sup>nd</sup> line) Internet Fax T.37
<b>Transmission Speed</b>	~ 3 seconds per page
<b>Compression</b>	JBIG, MMR, MR, MH
<b>Fax Memory</b>	1 GB Transmission/Reception
<b>Network-Fax</b>	Driver for Windows 11/10/8.1, Windows Server 2022/2019/2016/Server 2012 R2/Server 2012 (64bit)
<b>Incoming Fax Routing</b>	To shared folders (SMB, FTP), E-Mail, e-Filing

## System & Security

<b>Device Management</b>	Top Access for remote administration and configuration
<b>System Features</b>	e-Filing document server for secure storage, Document distribution and Print-on-Demand (one public box, 200 user boxes), 12,060 one-touch templates for storage of personalised settings and workflows, Scan/Fax Preview, Rip-while-Print, e-BRIDGE Open Platform, Embedded Web Browser, Job Skip, PCL Barcode printing, e-BRIDGE Plus embedded apps
<b>Accounting &amp; Security</b>	Role Based Access, LDAP support, 1,000 department & 10,000 user codes, Card Reader*, Private Print, Standard data encryption with Security SSD, Data Overwrite function when optional HDD is chosen, IP and MAC address filter, Port Filter, Support of SSL and IPsec* protocols, IEEE802.1x support, CC certified (ISO/IEC15408) with HCD-PP v1.0*, Scan to Secure PDF, Pull-printing*

# Options

<b>REVERSING AUTOMATIC DOCUMENT FEEDER</b>	100-sheet capacity, A5R, 35-157 g/m <sup>2</sup>
<b>DUAL SCAN DOCUMENT FEEDER</b>	300-sheet capacity, A5R-A3, 35-209 g/m <sup>2</sup>
<b>DUAL SCAN DOCUMENT FEEDER WITH DOUBLE FEED DETECTION</b>	300-sheet capacity, A5R-A3, 35-209 g/m <sup>2</sup>
<b>PAPER FEED PEDESTAL</b>	550-sheet capacity (1 Cassette), A5R-A3 60-256 g/m <sup>2</sup> ( <sup>1</sup> ), 60-300 g/m <sup>2</sup> ( <sup>2</sup> )
<b>DRAWER MODULE</b>	For Paper Feed Pedestal 550-sheet capacity (1 Cassette), A5R-A3 60-256 g/m <sup>2</sup> ( <sup>1</sup> ), 60-300 g/m <sup>2</sup> ( <sup>2</sup> )
<b>ENVELOPE DRAWER</b>	For Paper Feed Pedestal or 2 <sup>nd</sup> Cassette Envelopes: 50-envelope capacity (1 Cassette), 100x162mm - 240x380 mm, 60-85 g/m <sup>2</sup> Paper: 550-sheet capacity, A5R-A4R, 60-256 g/m <sup>2</sup> ( <sup>1</sup> ), 60-300 g/m <sup>2</sup> ( <sup>2</sup> )
<b>LARGE CAPACITY FEEDER</b>	2,000 sheets, A4, 60-256 g/m <sup>2</sup> ( <sup>1</sup> ), 60-300 g/m <sup>2</sup> ( <sup>2</sup> )
<b>EXTERNAL LARGE CAPACITY FEEDER</b>	2,000 sheets, A4, 60-256 g/m <sup>2</sup> ( <sup>1</sup> ), 60-300 g/m <sup>2</sup> ( <sup>2</sup> )
<b>INNER FINISHER</b>	2 trays, 600-sheet capacity 50-sheet multi-position stapling A4R-A3, 60-105 g/m <sup>2</sup> (stapling mode)
<b>MULTI-STAPLE FINISHER</b>	2 trays, 2,250-sheet capacity 65-sheet multi-position stapling A4R-A3, 60-105 g/m <sup>2</sup> (stapling mode)
<b>SADDLE STITCH FINISHER</b>	2 trays, 3,250-sheet capacity Saddle-stitched booklets of up to 60 pages 65-sheet multi-position stapling A4R-A3, 60-105 g/m <sup>2</sup> (stapling mode)
<b>HOLE PUNCH UNIT</b>	Available in 2 holes (E), 4 holes (F), 4 holes (S)

<b>PLATEN COVER</b>
<b>DESK</b>
<b>HARD DISK DRIVE 320 GB<sup>(3)</sup> (FIPS 140-2 STANDARD)</b>
<b>SECURITY SOLID STATE DRIVE 520 GB<sup>(3)</sup></b>
<b>WORK TRAY</b>
<b>JOB SEPERATOR</b>
<b>USB HUB</b>
<b>ACCESSORY TRAY</b>
<b>PANEL TEN-KEY</b>
<b>WIRELESS LAN/BLUETOOTH MODULE (incl. Wi-Fi Direct)</b>
<b>e-BRIDGE ID-GATE</b>
<b>ACCESSIBLE ARM</b>
<b>IPsec ENABLER (LICENCE)</b>
<b>MULTI STATION PRINT ENABLER (LICENCE)</b>
<b>META SCAN ENABLER (LICENCE)</b>
<b>UNICODE FONT ENABLER (LICENCE)</b>



<sup>(1)</sup> For e-STUDIO2528A/3028A/3528A/4528A

<sup>(2)</sup> For e-STUDIO528A/6528A

<sup>(3)</sup> 1 GB = 1 billion bytes; the actual formatted capacity is less.

Available capacity will also be less if software applications are pre-installed.

\* Optional

## About Toshiba Tec

Toshiba Tec Germany Imaging Systems GmbH is part of the globally operating Toshiba Tec Corporation, active in various high-tech industrial sectors.

Toshiba Tec Corporation is a leading provider of information technology, operating across multiple industries - ranging from retail, education and business services to hospitality and manufacturing. With headquarters in Japan and over 80 subsidiaries worldwide, Toshiba Tec Corporation helps organisations transform the way they create, record, share, manage and display information.

For more information please contact us:

### Toshiba Tec Germany Imaging Systems GmbH

Carl-Schurz-Str. 7  
41460 Neuss  
Germany

#### Telephone

+49 2131-1245-0

#### Fax

+49 2131-1245-402

#### Website

[www.toshibatec.eu](http://www.toshibatec.eu)

**Together Information is Toshiba's vision for how people and organisations create, record, share, manage and display ideas and data.**

**It is based on our belief that the most successful organisations are those that communicate information in the most efficient way.**

**We make that possible through an integrated portfolio of industry-specific solutions, all of which reflect Toshiba's commitment to the future of the planet.**

